

Planning and Building Department 250 Frank H. Ogawa Plaza, 2nd Floor, Oakland, CA 94612

INFO: (510) 238-3911 https://www.oaklandca.gov/topics/secondary-units

APPLICATION FOR **Accessory Dwelling Units (ADUs)**IN CONJUNCTION WITH **ONE-FAMILY RESIDENTIAL FACILITY**

	GENERAL INFORMATION		
Арг	PLICANT'S NAME/COMPANY:		
Pro	DPERTY ADDRESS:		
DES	CRIPTION OF PROPOSAL:		
For	ECT TYPE(s) OF PROPOSED ACCESSORY DWELLING UNIT(s) (ADUs): further details regarding the definitions and regulations for the different types of ADUs, please refer to the Step 1 Zoning teria Checklist starting on page 7 of this application.		
	JUNIOR ADU (JADU): CONVERSION OF SPACE CONTAINED ENTIRELY WITHIN THE BUILDING ENVELOPE OF AN EXISTING OR PROPOSED ONE-FAMILY RESIDENTIAL FACILITY, RESULTING IN A LIVING UNIT OF NOT MORE THAN 500 SQ. FT., REQUIRING OWNER OCCUPANCY IN THE JADU OR THE PRIMARY DWELLING UNIT. THE OWNER OF THE JADU IS REQUIRED TO RECORD A DEED RESTRICTION SETTING FORTH THE OWNER OCCUPANCY REQUIREMENT.		
	CATEGORY 1 ADU: CONVERSION OF SPACE WITHIN AN EXISTING ONE-FAMILY RESIDENTIAL FACILITY OR AN ASSOCIATED LEGALLLY EXISTING ACCESSORY STRUCTURE OR AN EXISTING ACCESSORY STRUCTURE THAT IS REBUILT; INCLUDES NO EXPANSION OF THE EXISTING BUILDING ENVELOPE OTHER THAN UP TO 150 SQ. FT. FOR PURPOSES OF ACCOMMODATING ADU INGRESS AND EGRESS ONLY.		
	CATEGORY 2 ADU: CONSTRUCTION OF A NEW DETACHED OR ATTACHED STRUCTURE, INCLUDING AN EXTERIOR ADDITION TO AN EXISTING PRIMARY RESIDENTIAL FACILITY TO ACCOMMODATE THE ADU, IN CONJUNCTION WITH AN EXISTING OR PROPOSED ONE-FAMILY RESIDENTIAL FACILITY.		

The application is broken down into a two-step process:

Step 1 involves meeting requirements of Planning and Zoning as provided by Step 1 on Page 2 below. Once Planning/Zoning has reviewed the application and has determined it meets the Step 1 Planning/Zoning requirements, then the applicant can proceed to Step 2.

APPLICATION PROCESS

Step 2 involves filling out the application and submitting all Building Plan requirements, as indicated by Step 2 on Page 2 below.

HOW TO APPLY:

- COMPLETE ALL REQUIRED INFORMATION, THE ADU CHECKLIST, REQUIRED DOCUMENTS, AND PLANS AS OUTLINED IN STEP 1 ON PAGE 2.
- SUBMIT A ZONING WORKSHEET AND UPLOAD YOUR COMPLETED ADU APPLICATION THROUGH THE ONLINE PERMIT CENTER

GENERAL SUBMITTAL REQUIREMENTS CHECKLIST

Below is a brief overview of all the plan requirements for both Step 1 and Step 2, but as stated above, Step 2 plans are only needed after Step 1 is finished. Please submit all applications and plans electronically to:

<u>Online Permit Center</u>

ZO	NIN	IG PLAN REQUIREMENTS, STEP 1	BUILDING PLAN REQUIREMENTS, STEP 2			
	REQUIRED FOR ALL ADUS AND/OR JADUS			☐ PLANS		
	☐ COLOR PHOTOGRAPHS OF PROPERTY & ADJACENT PROPERTIES		SEE PAGES 15-16 FOR MORE DETAILED BUILDING PLANS AND DRAWING REQUIREMENTS			
		PLANS			TITLE BLOCK	
	SEE			SCOPE OF WORK		
	KEU	UIREMENTS			TITLE 24 ENERGY DOCUMENTATION	
		LINE AND/OR TOPOGRAPHICAL SURVEY REQUIRED ONLY FOR BUILDINGS/ADDITIONS HAVING FOOTPRINT			SITE PLAN, SHOWING LOCATION OF PROPOSED NEW	
		WITHIN 3 FEET OF A PROPERTY LINE OR ON SLOPES 20% OR			UTILITY METERS AS PER JOINT INFORMATIONAL BULLETIN	
		MORE SITE PLAN (EXISTING AND PROPOSED)			DEMOLITION PLAN	
					FLOOR PLANS	
		FLOOR PLANS (EXISTING AND PROPOSED)			Construction Sections	
		☐ ELEVATIONS REQUIRED ONLY FOR NEW CONSTRUCTION PROJECTS,			2 ELEVATIONS	
		ADDITIONS, OR EXTERIOR ALTERATIONS			FOUNDATION PLAN (FLOORS AND ROOF)	
		CALGREEN CHECKLIST (SEE PAGE 14)			FRAMING PLANS	
		CREEK PROTECTION PERMIT			STRUCTURAL DETAILS AND SECTIONS (REFERENCED	
		REQUIRED ONLY IF ANY PROPOSED CONSTRUCTION ACTIVITY IS OCCURRING ON A CREEKSIDE PROPERTY (SEE PAGE 14)			FROM PLANS)	
	☐ CHECKLIST FOR ACCESSORY DWELLING UNITS				3 STRUCTURAL CALCULATIONS	
	SEE PAGES 7-12 FOR PROJECT REQUIREMENTS (ALL CATEGORIES)				B OUNDARY SURVEY IS REQUIRED IF STRUCTURE	
	REQUIRED ONLY FOR NEW CONSTRUCTION PROJECTS (DETACHED, ATTACHED OR EXTERIOR ALTERATIONS):				APPEARS TO BE WITHIN TEN FEET FROM A A PROPERTY LINE	
		CROSS-SECTIONS REQUIRED $\underline{\text{ONLY}}$ FOR BUILDINGS OR ADDITIONS LOCATED ON A LOT WITH A SLOPE OF 20% OR MORE	П		ZONING REVIEW STAMP HECKLIST FOR ACCESSORY DWELLING UNITS	
		☐ GRADING PLAN REQUIRED ONLY IF THE PROJECT PROPOSES ANY SITE GRADING	Sei	E PA	PAGES 17 - 19 FOR PROJECT REQUIREMENTS (ALL CATEGORIES)	
		☐ TREE SURVEY			EBMUD FIRE HYDRANT FLOW DATA REPORT IF THE PROPOSAL INVOLVES SUBSTANTIAL REHABILITATION OF THE	
		REQUIRED ONLY FOR PROJECTS THAT INVOLVE A TREE PRESERVATION/REMOVAL PERMIT (SEE PAGES 5 & 13)			rimary Residential Facility /Isit <u>ebmud.com/fire</u> or call (510) 287-1842	
	Red	QUIRED ONLY FOR JADU: PROPERTY TAX EVIDENCE OF OWNER OCCUPANCY OR EVIDENCE OF DEED RESTRICTION - Required Permit Issuance.		FF	EED RESTRICTION (RESTRICTING SALE OF ADU OR JADU ROM THE PRIMARY LIVING UNITS AND, MEMORIALIZING THAT WNER MUST LIVE IN EITHER THE MAIN OR JADU UNIT)	

STEP 1: PROPERTY OWNER & APPLICANT INFORMATION

Property Address:		
Owner:		
Owner Mailing Address:		
City/State:		
Phone No.:	Alt. Phone No.:	
To be completed only if Appli	cant is not the Property Owner:	
I authorize the applicant indice	ated below to submit the application on my behalf	Signature of Property Owner
Applicant (Authorized Agent),	if different from Owner:	
Applicant Mailing Address:		
City/State:		Zip:
Phone No.:	Alt. Phone No.:	E-mail:
Applicant and/or Owner phon I certify that I am the Applica knowledge and belief. I under may result in the revocation purchaser (or option holder) of	sfying requirements of any private restrictions apper number listed above will be included on any publicant and that the information submitted with this a stand that the City is not responsible for inaccuracion planning permits as determined by the Planning of the property involved in this application, or the less by the owner's signature above.	notice for the project. pplication is true and accurate to the best of my es in information presented, and that inaccuracies Director. I further certify that I am the Owner or
the City has attempted to reconecessary for the City to require City staff. I understand that a	made to me about the time it takes to review and pr quest everything necessary for an accurate and com est clarifying information and/or materials after my any failure to submit the clarifying information and periods of inactivity on the applicant's part do not co	plete review of my proposal; however, it may be application has been submitted and reviewed by or materials in a timely manner may render the
agreements, or other require property may also be subject	ed project and/or property may be subject to other ments of other public agencies within or outside of to requirements enforced by private parties. I am av requirements before I submit this application and to pject.	the City of Oakland, and that the project and/or vare that the City recommends that I become fully
I HEREBY CERTIFY, UNDER PE THIS APPLICATION IS TRUE AN	NALTY OF PERJURY, THAT I HAVE READ THE ABOVE ND CORRECT.	AND THAT ALL THE INFORMATION PROVIDED IN
Signature of Owner or Author	ized Agent	Date

STEP 1: ZONING PLAN REQUIREMENTS

PD	F PL	AN SET FOR PLANNING PERMIT				
•	Inc	lude north arrow, date prepared and scale.				
•						
 Include the name, email and phone number of a person preparing the plan. 						
•		ow all encroachments over the public Right-of-Way.				
		ace for zoning stamp.				
•	Spa	ace for zonning starrip.				
	(a)	LINE AND/OR TOPOGRAPHICAL SURVEY (required only for the following project types listed below)				
	Red	quired for any building or addition with new or replacement footprint within 3 feet of a property line:				
		Applicable line survey with field-verifiable monuments set or found by the surveyor.				
		Location, dimensions, & dimensions to property line of existing and proposed buildings & similar				
		structures within 3 feet of the relevant property line(s).				
	Por	quired for any building or addition with new or replacement footprint located on a lot with a slope of 20%				
	IVEC	or more:				
		Site topography for all areas of proposed work.				
		Must be no more than 3 years old from the time of submittal – date of survey must be included.				
	•	•				
	•	Must be prepared by a California State Licensed Land Surveyor or by a Civil				
	•	Engineer with a license number below 33966 (licensed prior to January 1, 1982).				
	•	<u>Include the wet stamp and signature</u> of the Land Surveyor or Civil Engineer who prepared the survey.				
	•	Include the applicable surveyor's statement in accordance with the Professional Land Surveyors Act.				
	•	In addition to paper copies, the survey must also be submitted in digital format.				
	/h\	Cirre Di ani				
		SITE PLAN The site along (and quieties labeled "Frieting Site Play" and an appropriate labeled "Propriet of Site Play" and an appropriate labeled "Proprieting Site Play" and an appropriate labeled "Proprieting Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and a second site of Site Play "Site Play" and Site Play "Site Pla				
	•	Two site plans (one existing, labeled "Existing Site Plan" and one proposed, labeled "Proposed Site				
		Plan")				
		Location and dimensions of all property boundaries, and distances from structures to property lines.				
		Location and dimensions of all existing and proposed buildings, decks, stairs, and patios.				
		Dimensions of all existing and proposed building setbacks from property lines.				
		Location, dimensions, and paving materials of all existing and proposed adjacent sidewalks, curbs, curbcuts (including curb-cuts on adjacent neighbor's lots), and streets.				
		Location and dimension of all existing and proposed driveways, garages, carports, vehicle parking				
	_	spaces, bicycle parking spaces, maneuvering aisles, wheel-stops, pavement striping/marking, and				
		directional signage. Indicate existing and proposed paving materials.				
		Location, height, and building materials of all existing and proposed fencing and walls.				
		Location, height (including top and bottom elevation measurements), and building materials of all				
		existing and proposed retaining walls.				
		Location and size (dbh) of all existing trees and indication of any trees to be removed, include trees on				
		neighboring properties that are within 10 feet of construction.				
		Location of drainage ways, creeks, and wetlands				
		Roof plan showing roof slope and direction, and location of mechanical equipment, ducts, and vents.				
		For projects located on a lot with a slope of 20% or more: Show existing and proposed topographic				
		contours overlaid with proposed roof plan and indicating roof ridge spot elevations.				
		Show any building to be demolished both historic and non-historic.				
		Location and size of storage area for recycling containers.				

STEP 1: ZONING PLAN REQUIREMENTS (continued)

	FLOOR PLAN Include complete floor plan of all floors of entire building, including existing and proposed work. Label all rooms (e.g., bedroom, kitchen, bathroom), and include dimensions of room sizes. Show locations of all existing and proposed doors, walls, and windows, including any window schedule (recess, sash and trim material, manufacture). Location of and distance to all adjacent property boundaries. Label and identify location of primary Residential Facility and ADU (existing and proposed).
	Show all structure elevations (front, sides and rear) that will be affected by the proposed project. For additions/alterations: label existing and new construction, as well as items to be removed. Identify all existing and proposed exterior materials - including roofing, roof eaves, eave brackets, siding, doors, trim, sills, windows, fences, and railings. Show details of proposed new exterior elements. Show any exterior mechanical, duct work, and/or utility boxes. Include dimensions for building height (from grade to pitch) and wall length.
	CROSS SECTIONS (required only for buildings or additions located on a lot with a slope of 20% or more) Include all critical cross sections, including at least one passing through the tallest portion of the building Include floor plate and roof plate elevation heights. Location of and distance to all adjacent property boundaries. Label the location of the cross-sections on the site plan.
	TREE SURVEY (required only for projects which involve a Tree Preservation/Removal Permit) Include north arrow, date prepared and scale (Tree Survey should be drawn to the same scale as the Site Plan). Include the name & phone number of person preparing the plan(s). As appropriate or required, include the stamp & "wet signature" of any licensed architect, landscape architect, surveyor and/or civil engineer preparing final plans. Indicate the size (dbh), species, and location of all protected trees within 30 feet of development activity on the subject lot, regardless of whether the protected trees are included on any tree preservation/removal permit application. Label all protected trees that are located within 10 feet of construction (including trees located on neighbor's properties or the adjacent public right-of-way) with the matching number or letter from the Tree Preservation/Removal Permit application (see page 13 of this application).
	GRADING PLAN (required only if the project proposes any site grading) Show proposed grading plan and/or map showing existing and proposed topographic contours (this may be combined with the Site Plan for small projects with only minor grading). Include an erosion & sedimentation control plan. Include a summary table of all proposed excavation, fill, and off-haul volumes.

Step 1: Zoning Permit Information					
CALCULATIONS	Existing Pre-Project	Demolition	New Proposed	Total Post-Project	% Change (Existing/Total)
Total Lot Area (sq. ft.)		N/A	N/A	N/A	N/A
Primary Residential Facility Characteristics:					
Floor area (sq. ft.)					
Footprint (sq. ft.)					
Building height (ft.)					N/A
Type and Number of ADUs (list for each):					
Total ADUs (number)					
Category 1 (number)					N/A
Category 2 (number)					N/A
Junior ADU (number)					N/A
ADU – floor area (list square feet for each):	•	•			
Category 1 (sq. ft.)					
Category 2 (sq. ft.)					
Junior ADU (sq. ft.)					
ADU – footprint (list square feet of each):				<u> </u>	
Category 1 (sq. ft.)					
Category 2 (sq. ft.)					
Junior ADU (sq. ft.)					
ADU – Height (list for each):					
Category 1 – for rebuild or expansion for					N/A
ingress/egress (ft.)					
Category 2 (ft.)					N/A
Location of ADU:					
Category 1 (primary residential facility or					
accessory structure)					
Category 2 (attached to a primary					
residential facility or detached)					
Onsite Parking Spaces (number)					N/A

Step 1: ZONING CRITERIA CHECKLIST

Applicant's Name:	Project Address:	
Accessory Dwelling Units (ADUs) may only be granted if the applicant can check "YES" or "N/A" (as provided) to EACH of the following		
1) ALL ADUS/JADUS	(must be completed for all proposals)	
YES NO	The ADU/JADU is in a zoning district where Residential Facilities are allowed.	
YES NO	The ADU/JADU has an entrance that is independent from the primary Residential Facility.	
	The floor area of the ADU/JADU contains at least a minimum square-footage that permits an Efficiency Dwelling Unit.	
	The ADU/JADU has a kitchen that is independent from the primary Residential Facility, which shall include all of the following: a sink, cooking facility with appliances, refrigerator, a food preparation counter and storage cabinets that are of a reasonable size in relation to the size of the dwelling unit. The kitchen must be within the building envelope of the proposed ADU/JADU.	
YES NO N/A	The total number of existing and proposed JADUs, Category 1, and Category 2 ADUs does not exceed one (1) each per lot. A homeowner may create one (1) Category One ADU, one (1) Category Two ADU, and one (1) JADU, in any order, totaling up to three (3) units.	
YES NO N/A	Lot Coverage, Rear Setback Coverage, and Floor Area Ratio (FAR) are consistent with regulations of the underlying zone, except where these requirements would preclude one ADU of no more than 850 sq. ft. and up to 18 feet in height. (Select N/A only if proposing one ADU of the minimum size and height.)	
YES NO N/A	The regularly required front setback of the underlying zone is met, except when lot conditions preclude creating of one ADU of no more than 850 sq. ft. and up to 18 feet in height anywhere else on the lot.	
YES NO N/A	Any uncovered parking spaces (parking without a roof supported by columns) that are required for the primary Residential Facility are maintained or replaced on the lot. (The replacement parking must meet standards of OMC Section 17.16 and may be tandem as set forth in OMC Section 17.116.240.A.)	
YES NO N/A	Any upper story balconies, decks, or rooftop terraces associated with the ADU meet the regular requirements of the underlying zone. (Please check N/A only if the proposal does not add any upper story balconies, decks, or rooftop terraces.)	
YES NO N/A	No mechanical equipment such as water heaters, heating/cooling condenser, or any other similar equipment is proposed in the minimum required side setbacks. Please check N/A only if any proposed equipment in the required setbacks is consistent with OMC Section 17.108.130 (I), and mechanical equipment meets the noise performance standards of OMC Section 17.120.050.	
	ne ADU/JADU will not be used as a short-term rental facility; rentals must be for periods longer than 30 onsecutive days.	

(continued)

2) ADUS ASSOCIATED WITH PROPERTIES LISTED IN THE CALIFORNIA REGISTER OF HISTORIC RESOURCES

Resources Director	ry (BER	ty is listed in the California Register of Historic Resources, please review the Built Environment D) for Alameda County, found here: https://ohp.parks.ca.gov/?page_id=30338 . The BERD is available as eet for Alameda County.
YES NO	Prop	erty is located in the BERD. If yes, move to Step 2. If no, please skip to Section 3.
begins with a "1"	or "2,"	n the BERD, please review the column titled "Evaluation Info," to find your status code. If your status code please complete the section below. For further information on the California Register of Historic this <u>FAQ from the California Office of Historic Preservation.</u>
☐ Please writ	te the st	tatus code of the property; if beginning with a "1" or "2":
Section 2 must be "2". Please skip to	-	eted only if the property is listed in the BERD and has a status code beginning with a "1" or in 3 if not.
YES 🗌 NO 🗌 N,	/A 🗌	ADUs located at the front or side of a primary Residential Facility and visible from the public right-of-way include: the same roof pitch, visually matching exterior wall material, predominant door and window trim sill, recess, and style as the primary residential structure.
YES 🗌 NO 🗌 N,	/A 🗌	Attached or detached garages located to the front or side of a primary Residential Facility and converted to an ADU replace the garage doors with visually similar exterior wall materials, building colors, and door and window trim as the primary residential structure.
For the option o	f appro	ving alternative finishes or styles please follow the Small Project Design Review (DS) application process per OMC Section 17.136.030.
/ES NO 🗌	zoning on the	roposed ADU is NOT located in front of a primary Residential Facility unless the lot conditions or other grequirements preclude an ADU of a minimum size (up to 800 sq. ft. and up to 16 feet in height) elsewhere lot. (Checking Yes indicates the proposed ADU is not in the in front of the primary Residential Facility or form the public right-of-way.)
The proposed ADU has been considered for location on the lot in the following order of preference: First, behind the primary Residential Facility structure; Second, to the side of the primary Residential Facility.		behind the primary Residential Facility structure; Second, to the side of the primary Residential Facility;
/ES 🗌	staff.	oplicant is aware that a Case Planner reviewing the ADU proposal will consult with Historic Preservation The Case Planner may request additional information to ensure compliance with the objective design ards specified in Section 2A above if the ADU is proposed in front of the primary Residential Facility with ic designation and visible from the public right-of-way.
		(continued)

3) ADUS/JADUS IN S-9 FIRE SAFETY PROTECTION COMBINING ZONE (S-9 ZONE)
This Section must be completed <u>only</u> if the lot is located within the S-9 Zone. Please skip to Section 4 if your lot is not within the S-9 zone. To verify if a lot is within the S-9 Zone please see the map:
https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec96534
YES NO The total number of existing and proposed ADUs and JADUs of any type does not exceed one (1) per lot.
YES NO The Category 1 ADU is a conversion of space within the existing primary Residential Facility. If you select "NO" please review additional Exceptions in section 3A below to confirm eligibility for other ADU types:
3A) Exceptions for ADUs in the S-9 Zone: Complete this portion only if the proposal is for a Category 2 ADU or a Category 1 ADU tha is outside the envelope of an existing residential facility. At least one exception must be met to be eligible. Please check one that applies:
Exception 1: An applicant has an approved application for Reasonable Accommodation Request pursuant to OMC Chapter 17.131. A request may be approved for reasons including a disability of a permanent occupant of the ADU or a need to accommodate a full-time live-in caregiver for a permanent resident with disability is attached to this application. Please review the Reasonable Accommodation Application to see if you may qualify: https://www.oaklandca.gov/documents/request-for-reasonable-accommodations-for-persons-with-disabilities Please fill out and attach the completed Reasonable Accommodation Application together with this ADU application.
-OR-
☐ Exception 2: At least one (1) additional off-street parking space is created on the lot in addition to any regularly required off-street parking spaces for the primary residential facility.
YES NO Any lost off-street parking space(s) as a result of creation of this ADU is replaced elsewhere on the lot.
YES NO The maximum height of the proposed Category 1 or Category 2 ADU is no more than 16 feet.
(continued)

4) CATEGORY 1 ADU (This	Section must be completed only if proposal includes this type of ADU)
YES NO	The Category 1 ADU is located either: (a) within the existing building envelope of a primary Residential Facility or existing accessory structure; or (b) within a new accessory structure rebuilt in the same location and to the same exterior dimension as an existing detached accessory structure.
YES NO N/A	If the Category 1 ADU is outside of the existing envelope of a primary Residential Facility it is <u>not</u> located within the S-9 Fire Safety Protection Combining Zone. <i>Please follow the link below for a map to verify whether your lot is located outside the S-9 Zone. If your lot is within the S-9 Zone, please complete Section 3 above first. (Please check N/A only if the Category 1 ADU is within the existing building envelope of a primary Residential Facility.)</i> https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec96534
YES NO N/A	The Category 1 ADU does not exceed the size of the existing building envelope, plus up to 150 sq. ft. expansion for ingress and egress. If existing structure is expanded beyond 150 sq. ft., the maximum total size (inclusive of the expansion) is 850 sq. ft. for a studio or one-bedroom or 1000 sq. ft. for two-bedroom or more and the expansion must meet the setbacks (Please check N/A only if the Category 1 ADU is not a conversion of an existing accessory structure.)
YES NO N/A	If the Category 1 ADU proposes an expansion of up to 150 sq. ft. for the exclusive purpose of accommodating ingress and egress to the ADU, such expansion does not exceed a height of 18 ft., unless the underlying zoning permits. (Please check N/A only if the Category 1 ADU does not propose an expansion or if the expansion is greater than 150 sq. ft.)
YES NO N/A	No additional parking is required because the Category 1ADU is located within the mapped "No Parking for ADUs": (a) one-half (½) mile of a public transit stop; (b) an Area of Primary Importance (API) or Area of Secondary Importance (ASI), as defined in the General Plan's Historic Preservation Element; (c) an area where on-street parking permits are required but not offered to the ADU occupant; or (d) one block of a dedicated car share parking space. (Please check N/A only if the Category 1 ADU requires additional parking.)
YES NO	The Category 1 ADU has its own private bathroom.

 $^{^{1} \ \}text{The "No Parking for ADUs" area can be found on the City's online zoning map: www.oaklandca.gov/resources/zoning-map.}$

5)	CATEGORY 2 ADU (mus	st be completed only if proposal includes this type of ADU)
YES	S	The Category 2 ADU is outside the S-9 Fire Safety Protection Combining Zone. Please follow the link below for a map to verify if your lot is outside the S-9 Zone. If your lot is within the S-9 Zone, please complete Section 3 above before continuing with this section. https://oakgis.maps.arcgis.com/apps/webappviewer/index.html?id=adfa58efbcc849f89819f7b4bec965
YES	5 NO N/A	For an attached (exterior addition) Category 2 ADU, the floor area does not exceed: (a) 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for a two-bedroom or more; or (b) 50% of the floor area of the primary Residential Facility, as long as it does not exceed 1,200 sq. ft. (Please check N/A only if the Category 2 ADU is not an exterior addition to the primary Residential Facility.)
YES	S NO N/A	For a detached Category 2 ADU, the floor area does not exceed 850 sq. ft. for a studio or one bedroom, and 1,000 sq. ft. for two bedroom or more. The total floor area includes all areas within the ADU. (Please check N/A only if the Category 2 ADU is not detached ADU.)
YES	5	Any portion of the attached (exterior addition) or detached Category 2 ADU has a setback of at least 4 feet from the rear and side lot lines or meets the regularly required setback of the zoning district, whichever is less, but in no case the ADU has a setback of less than 3 feet from the rear and side lot lines.
YES	5	The height of the Category 2 ADU does not exceed 20 feet. (If the ADU meets all regular setback requirements of the underlying zoning district, then the maximum height is controlled by the underlying zoning district regulations and may exceed 20 feet.)
YES	S	Existing Floor Area Ratio (FAR), lot coverage, and rear setback coverage requirements of the underlying zone are satisfied, except where the requirements would preclude one (1) Category 2 ADU of no more than 850 sq. ft. and 18 ft. in height, with at least 4-foot rear and side setbacks (or 3 feet if permitted by the underlying zone).
YES	S 🗌 NO 🗌	The Category 2 ADU has its own private bathroom.
YES	S NO N/A	No additional parking is required because the Category 2 ADU is located within the mapped "No Parking for ADUs" ³ : (a) one-half (½) mile of a public Transit Stop; (b) an Area of Primary Importance (API) or Area of Secondary Importance (ASI), as defined in the General Plan's Historic Preservation Element; (c) an area where on-street parking permits are required but not offered to the ADU occupant; or (d) one block of a dedicated car share parking space. (Please check N/A only if the Category 2 ADU requires additional parking.)
YE	S NO N/A	If the requirements in the above checklist item are not met, the following parking is provided for the ADU: one parking space per unit in all zones. Tandem parking is permitted according to the regulations in Section 17.116.240. (Please check N/A only if the Category 2 ADU does not require additional parking.)

(continued)

³ The "No Parking for ADUs" area can be found on the City's online zoning map: www.oaklandca.gov/resources/zoning-map.

6)	JADU (must only be con	npleted if proposal includes this type of ADU)	
YES	□ NO □	The number of existing and proposed JADUs does not exceed 1 per lot.	
YES	□ NO □	The owner of the property will reside in either the JADU or primary residence.	
YES	□ NO □	The JADU is located within the building envelope of an existing or proposed One-Family Residential Facility, and involves no expansion of the existing building envelope. A JADU may include conversion of enclosed uses within the residence, such as an attached garage.	
YES	ПиоП	The floor area of the JADU does not exceed 500 sq. ft.	
YES		The JADU is not located within a detached or accessory structure.	
YES	□ NO □	The JADU has either its own independent bathroom or it shares a bathroom with the primary residence	
YES	□ NO □	If the JADU shares a bathroom with the primary residence, there is an internal connection. (Please check N/A only if the JADU does not share a bathroom with the primary residence.)	
YES	□ NO □ N/A □	The JADU includes an efficiency kitchen.	
		JADU Requirement before Building Permit Issuance	
The applicant has prepared to execute a deed restriction for the JADU (to be recorded) that: (a) prohibits the sale of the JADU separate from the primary One-Family Residential Facility, (b) restricts the size and attributes of JADU consistent with this application, (c) states owner occupancy in either the JADU or the primary residence. (Please attach a notarized JADU Deed Restriction with your application.)			
I ha	ve reviewed the above	checklist and certify that the project conforms to all applicable criteria for Step 1.	
App	olicant's Signature	Date	
Rev	iewer's Signature		

STEP 1: TREE PRESERVATION ORDINANCE

Pursuant to the Tree Preservation Ordinance (§12.36 O.M.C.) a Tree Preservation/Removal Permit is required for any proposed construction activity within 10 feet of a Protected Tree, even if such trees are not being removed or if they are located on a neighbor's property or in the public right-of-way (e.g., sidewalk).

The following are "Protected Trees" under the Tree Preservation Ordinance:

- a. Any Coast Live Oak tree that is larger than 4 inches in diameter at breast height (dbh)
- b. Any tree (except Eucalyptus or Monterey Pine) that is larger than 9 inches dbh*
- c. Any tree of any size located in the public right-of-way (including street trees)

I, THE APPLICANT/OWNER, ATTEST THAT: (check one)

(1)	of the pro	no existing Protected Trees anywhere on the subject property or within 10 feet sposed construction activities (including neighbor's properties or the adjacent nt-of-way).
(2)		Protected Trees on the subject property or within 10 feet of the proposed construction activities, and their indicated on the site plan and landscape plan and (check one); No Protected Trees are to be removed and No construction activity will occur within 10 feet of any Protected Tree.
	☐ (b)	No Protected Trees are to be removed and

	(c)	Protected Trees will be removed
_ ,	(()	Protected frees will be removed

If you checked (2b) or (2c), a Tree Preservation/Removal Permit is required. Please complete the section below.

Construction activity will occur within 10 feet of any Protected Tree.

DESCRIPTION OF TREES: (Identification numbers and letters must be consistent with the Tree Survey – See submittal requirements.)

	Trees proposed for removal		Trees <u>not</u> proposed for removal but located within 10 feet of Construction Activity	1	
#	Species	dbh*	#	Species	dbh*
1			Α		
2			В		
3			С		
4			D		
5			E		

Reason(s) for removal/impacting of trees: _				

^{*} **dbh**: "diameter at breast height" is determined by measuring the trunk at 4'-6" from the ground. Multi-trunked trees are measured by combining the diameters of all trunks at 4'-6" from the ground.

STEP 1: CREEK PROTECTION ORDINANCE

Pursuant to the Creek Protection, Storm Water Management and Discharge Control Ordinance (§13.16 O.M.C.) a Creek Protection Permit is required for any proposed construction activity occurring on a Creekside property. The extent to which your development will be regulated by the Creek Protection Ordinance depends upon the location and type of proposed work.

I, TI	HE AP	PLIC	ANT/C	DWNER, ATTEST THAT: (check one)				
	(1)	I do not know whether there is a Creek on or near the proposed project site. I have submitted a request for a Creek Determination by the City of Oakland (separate form and fee required).						
	(2)	No	No Creek exists on or near the project site; (check one)					
			(a)	Based on my review of the characteristics of the project site, as well as all relevant maps and plans; or				
			(b)	Based on the attached report prepared by a relevant licensed professional.				
		Ho	wever,	if the City determines that a Creek exists on or near the project site, a Creek Protection Permit is required.				
☐ (3) A Creek DOES exist on or near the project site and (check one)			OOES exist on or near the project site and (check one)					
			(a)	The proposed project only entails <u>interior</u> construction, and therefore requires a <u>Category 1 Creek Permit</u> (this is a no fee permit and only requires distribution of educational materials); or				
			(b)	The proposed project entails exterior work that <u>does not</u> include earthwork and is located more than 100 feet from the centerline of the Creek, and therefore requires a <u>Category 2 Creek Permit</u> (this permit requires a site plan and distribution of educational materials); or				
			(c)	The proposed project entails (a) exterior work that is located between 20 feet from the top of the Creek bank and 100 feet from the centerline of the Creek, and/or (b) exterior work that includes earthwork involving more than three (3) cubic yards of material located beyond 20 feet from the top of the Creek bank, and therefore requires a Category 3 Creek Permit (this permit requires a site plan and creek protection plan and may require environmental review); or				
			(d)	The project entails exterior work conducted from the centerline of the Creek to within 20 feet from the top of the Creek bank, and therefore requires a <u>Category 4 Creek Permit</u> (this permit requires a site plan and creek protection plan and may require environmental review and a hydrology report).				
				STEP 1: GREEN BUILDING REQUIREMENTS				
Checorov ncre	klist (disions ases to continuous)	down of C he b	nload a hapter uilding eration	rnia Green (CALGreen) Building Standards Code, all new residential construction requires completion of a CALGreen thtps://aiacalifornia.org/calgreen-checklists). Further, Title 24, Part 11, Section 301.1.1 states that the "mandatory 4 shall be applied to additions or alterations of existing residential buildings where the addition or alteration is conditioned area, volume, or size. The requirements shall apply only to and/or within the specific area of the ." As such, any Accessory Dwelling Unit (ADU) that meets these conditions is also subject to Chapter 4 CALGreen are outlined here: https://codes.iccsafe.org/content/CAGBC2022P3/chapter-4-residential-mandatory-measures.				
, TH	E APP	LICA	NT/O	WNER, ATTEST THAT: (check all that apply)				
(1) I am	ı sub	mittin	g a completed CALGreen Checklist with my application.				
 (ack	now	ledge	an Accessory Dwelling Unit (ADU) that meets the conditions as quoted above in code Section 301.1.1, I that I also MUST comply with all Chapter 4 CALGreen mandatory measures and obtain verification by a qualified spector. I am submitting any additional green building plans with this application.				
Sun	//MARY	OF G	GREEN E	Building Features not shown on Plans but part of CALGreen Checklist:				

STEP 2: BUILDING PLAN REQUIREMENTS: (see Electronic Plan & Document Submittal below)

1. TITLE BLOCK				
Address of Property, Owner, and Designer/Contact person with daytime phone number and email. APN. Sheet				
2. LIST OF BACKGROUND INFORMATION				
Scope of Work – Descriptive narration of what	the project will consist of. Owner's name, code information incl	uding		
code year, occupancy and construction type.	Include a sheet index, Zoning designation, and Assessor's Parcel N	lumber.		
Show square footage (for each level) of existing	g living space, added living space and total.			
3. TITLE 24 ENERGY DOCUMENTATION				
(For all areas to become conditioned space.)				
	ke certain all signatures are completed. The forms need to be rea	adable so		
please don't reduce them in size.				
4. SITE PLAN Scale: 1/8" = 1' or	1/10" = 1'			
Show outline of the building and distances to	property lines. Show any accessory structures, retaining walls,			
sidewalks, streets, meters, curb cuts, driveway	ys, trees. Show North arrow and scale. Boundary Survey			
is required if structure appears to be within	ten (10) feet of property lines.			
5. DEMOLITION PLAN Minimum Scale	: 1/4" = 1'			
Label all rooms. Show items to be demolished	I as dashed. Clearly indicate which part of the structure is to rem	ain.		
6. FLOOR PLAN Minimum Sca	le: ¼" = 1'			
Label all rooms (existing and new). Clearly dist	inguish between new walls and walls to remain. Show all walls w	ith double		
	zes, types and identify those designated for escape and rescue. S			
_	oment locations including water heater (ADU to have permanent			
	ical panels, washer/dryers, plumbing fixtures, cabinets, etc. Clea			
indicate fire/sound rated walls.				
7. CONSTRUCTION SECTIONS Minimum Scale	: 3/4" = 1'			
	uding showing all major components. Clearly indicate fire/sound	rated		
assemblies. Show ceiling heights. Show insulat				
8. EXTERIOR ELEVATION(S) Minimum Scale	: 1/4" = 1'			
Show/indicate all finishes, new and existing. S	show all items such as windows, doors, decks, stairs, etc. Clearly	distinguish		
what elements are existing and which will be a		,		
9. FOUNDATION PLAN Minimum Scale	: 1/4" = 1'			
Provide if the foundation will be replaced, all	ered, or required to support additional loading. Show dimension	1s –		
Provide details showing how existing or new f	oundations meet current code. Show hold downs and brace/she	ar wall		
locations and lengths. Indicate location and si	ze of access openings. Show connections to existing & use detaili	ng to		
show further information.				
10. FRAMING PLANS Minimum Scale	: 1/4" = 1'			
(For EACH floor and/or roof.)				
Show size, direction and spacing of all joists ar	nd beams. Clearly show how any existing framing will be altered i	n order to		
meet current code requirements.				
11. DETAILS AND SECTIONS				
Drawn large enough to show the specific cons	truction and referenced from framing plans. Stairways, fire/sound	t		
separation between units, moisture barrier under the floor slab, foundation wall waterproofing and drainage, etc.				
12. STRUCTURAL CALCULATIONS				
(For non-conventionally framed construction.)				
13. ZONING APPROVAL STAMP ON PLANS				

After completing the minimum required items for submittal, please include this form with your submittal package. NOTE: Plan Check may require additional clarifying information after submission.

ELECTRONIC PLAN SUBMITTAL & SIGNATURE POLICY FOR ONLINE OR IN OFFICE USE

This policy establishes electronic plan, document and signature submittal guidelines. All plans submitted to the City of Oakland shall follow these guidelines unless otherwise directed by the Director of Planning & Building.

For questions use the Permit & Services Questions Portal at https://www.oaklandca.gov/services/permit-questions

REQUIREMENTS FOR ELECTRONIC PLAN AND DOCUMENT SUBMITTAL

- OVER THE COUNTER All plans and documents to be submitted shall be provided on a thumb drive in unzipped files (see file naming conventions on Page 2)
- ONLINE All plans and documents to be submitted via the Online Permit Center shall be uploaded as unzipped files. (see file naming conventions on Page 2)
- All digital documents shall be in Portable Document Format (PDF) and compatible with Adobe Acrobat 8 or newer ***Note: PDF Portfolios will not be accepted as part of your submittal package***
- Plan files shall be first generation, vector-based PDFs which have been directly converted from the computer aided drafting (CAD) applications (e.g., AutoCAD, ArchiCAD, MicroStation, TurboCAD etc.) in which they were created
- All layers must be flattened
- Scanned plans (i.e., plans, elevations, sections, details) will not be accepted unless the plan sheet was hand drawn
- Scanned plans must be scanned to scale or provide dimensions
- Plan sets shall be compiled as one file. Plan sets that are not compiled will not be accepted
 PDF document security settings must allow staff to mark up the PDF file and create comments. Electronic signature restriction settings should not be used on forms or drawings. (See SIGNATURE Policy)
- Page Orientation All plans must be oriented, so the top of the page is always at the top of the monitor and set to landscape. A north arrow must be provided on all plans
- All supplemental information must be oriented, so the top of the page is always at the top of the monitor in either portrait or landscape format based on the supporting documents provided
- All supplemental information must be sized at 8 1/2" x 11"
- Professional stamps/seals shall be affixed to plans and documents as required (please see DIGITAL SIGNATURE)
- All colors must be removed from all plans and documents (except for grey or hatchedshading)
- Leave a 4" x 3" space at the top right corner of the building plans for City approval stamp
- 24" x 36" (Minimum) Large Construction
 PDF exhibits must be generated at a prescribed scale (i.e., ¼" = 1'-0", or 1/8" = 1'-0") for staff to verify dimensions and areas within the file, using built-in measuring tools
- 11" x 17" (Minimum) Minor Construction
- All revisions must be submitted with a summary by permit number and date

DIGITAL SIGNATURE FOR DESIGN PROFESSIONALS (ARCHITECTS & ENGINEERS)

Design professionals, such as Architects and Engineers, whose "wet" signature is required for submittal of hard copy plans will be required to obtain a "digital signature" key for signature of electronically submitted plans.

A "Digital Signature" is required when strong authentication is necessary because it contains encrypted information that is unique to the signer and can be easily verified. Digital technology requires each signer to have a token, smart card or other physical device issued by a trusted organization (usually a company certified by a government) that verifies the signer's identity before issuing the token. With this technology, every document must be opened and signed one at a time - signatures cannot be applied en masse

For a complete list of approved digital signature certificate authorities, please visit the California Secretary of State website at:

https://www.sos.ca.gov/administration/regulations/current-regulations/technology/digital-signatures/approved-certification-authorities/

You may contact individual certificate authorities for their requirements to create a digital signature.

For more information regarding California State Law requirements regarding digital signatures, please visit the California Secretary of State's website below.

https://www.sos.ca.gov/administration/regulations/current-regulations/technology/digital-signatures/government-code-16-5/

ELECTRONIC SIGNATURE REQUIREMENTS FOR NON-DESIGN PROFESSIONALS

Non-design professionals shall sign plans via electronic signature.

An "Electronic Signature" can be set up by anyone using common programs such as Adobe and Outlook without an independent vetting process or electronic key, and most include a stamp of the date and time the signature was applied. Electronic signatures are accepted and used worldwide for many business transactions including e-mail signature blocks.

For more information on how to create an Electronic Signature with Digital ID, please visit the following website:

http://www.adobepress.com/articles/article.asp? p=170816l&sea Nu m=4

You may download free Adobe Reader software by clicking on the link below:

https://get.adobe.com/reader/

NAMING CONVENTIONS FORMAT FOR SUBMITTAL ATTACHMENTS

Begin with the Project Address when naming files and follow the format (example) below

0000 Time St-1st Submittal-Architectural Drawings

0000 Time St-1st Submittal-Structural Calculations

0000 Time St-1st Submittal-Truss Calculations

Step 2: Building Permit Information				
TYPE OF PERMIT:				
		BUILDING		
		DEMOLITION (SF)		
VALUATION OF PROP	OSED WORK	\$		
# OF STORIES:				
OCCUPANCY:		R-3		
TYPE OF CONSTRUCTI	ON:	V-B		
DESIGN OCCUPANT LO	OAD:			
EXISTING FIRE SPRINK	(LERS:	YES NO		
CONTRACTOR'S LICEN	ISE NUMBER:			
Analisant/s Name		NG CRITERIA CHECKLIST		
Applicant's Name:		Project Address:		
DRX Project Application Nu	mber:			
Accessory Dwelling Units (A	DUs) may only be granted if the a	pplicant can check "YES" or "N/A" to EACH of the following:		
GENERAL BUILDING CO	ODE REQUIREMENTS			
	JECT TO THE APPLICABLE REQUIF	REMENTS AND PROVISIONS OF THE CALIFORNIA BUILDING CODE, BUILDING CODE.		
ADU'S REQUIRE SEPARATE	ADDRESSES. JADU'S MAY NOT BE	E ADDRESSED SEPARETELY FROM THE PRIMARY DWELLING.		
YES NO N/A	exterior point of discharge of the path of travel to ADU meets co	cility each has an independent entryways/exits (means of egress) to the he existing building or to the public right of way. Primary entry/exit and de requirements for stairs, handrails, landings, headroom, door width, ot be through the primary or other dwellings.		
YES NO N/A	No N/A Newly Constructed detached ADU structures shall be All-Electric per OMC 15.37; ADU will not require separate electrical connection (drop) from PGE; ADU has access to its own electrical panel; ADU plumbing branch connection to the sewer lateral does not exist underneath the primary residential facility; Attached ADU: one (1) gas meter exists per each dwelling unit (except if ADU has no vented appliances, in which case one gas meter may serve two units), plus one (1) for a common area (i.e., laundry facilities); Detached ADU: no gas appliances allowed. Detached ADU has its own water shutoff valve where service enters building or attached ADU without separate water shutoff has integral stops or fixture shutoffs; each dwelling unit has permanently installed heating and water heating facilities with its own access to controls and equipment. Per California Public Utility Commission CPUC 780.5 ADUs shall have separate electrical meter (except JADU).			
YES NO N/A	walls below grade include damp	nts for moisture barriers and damp proofing (foundation and foundation proofing, waterproofing, drainage, and vapor retarder), braced wall panels ode requirements (for new construction or conversion of non-habitable		
(continued)				

STEP 2: BUILDING CRITERIA CHECKLIST (continued) Buildings dug down meet code requirements for new construction at that

YES NO N/A	Buildings dug down meet code requirements for new construction at that lower level and include engineering plans for the foundation and for the gravity and lateral load resisting system of the building.
YES NO N/A	ROOM DIMENSIONS: ADU ceiling height is not less than 7 feet-6 inches for habitable space, hallways, and portions of basements containing these spaces, and 7 feet for bathrooms, toilet rooms, and laundry rooms; has a combined living, eating, and sleeping room not less than 150 square feet, and an additional 100 square feet of superficial floor area per occupant in excess of two (2) occupants; has a separate permanent clothes closet.
YES NO N/A	ADU is located entirely within the subject property and meets required building fire separation distance requirements (may require Surveyor certification).
YES NO N/A	ADU shall be heated separately. Each tenant or owner shall have access to their own mechanical heating equipment and water heater. A central Mechanical Room is permitted provided that each tenant or owner has access without being compelled to pass through another unit. Heating, Air conditioning or ventilating systems shall not combine return air supply from separate dwelling units.
YES NO N/A	BUILDING SAFETY: All exterior walls of the ADU are appropriately fire-rated based on Fire Separation Distance, Construction Type, and applicable provisions of the California Building Code (CBC). No wall openings exist less than 5 ft. (3 ft if sprinklered) to property line. All separation walls and floor/ceiling assemblies, plus their supporting construction for attached units, are appropriately fire and/or smoke rated per the applicable provisions of the CBC. Fire sprinklers are installed in entire building when total floor area (ADUs plus Primary Residential Facility) exceeds 3,600 sq. ft. as a result of an addition or when changes of occupancy classification occur. Fire sprinklers are installed in ADUs when the primary residential facility is required to be protected by fire sprinklers.
YES NO N/A	If the proposal is for a new, or substantial rehabilitation of an existing primary residence, the nearest hydrant has a flow greater than 1,000 gallons per min (gpm) and min pressure of 20 pounds per sq. inch (psi).
YES NO N/A	Attached ADUs require minimum Sound Transmission Classification (STC) rating 50-45 when tested per American Society for Testing and Materials (ASTM) E90 or STC 50.
YES NO N/A	All other building code requirements are met.
new building and not a conve construction, field conditions	ruction of greater than 50% of an existing building will require a demolition permit and will be considered a ersion for the purpose of determining applicable building Codes as per Code Bulletin D-18-001. If during warrant removal of more than 50% of the building a revision shall be submitted <u>prior</u> to continued removal of or moving of buildings is subject to Code bulletin D-18-001.
GENERAL BUILDING CO	DE REQUIREMENTS AND ACKNOWLEDGEMENTS FOR JADUS
YES NO N/A	JADU will not have a separate address.
YES NO N/A	JADU has independent entryway that meets minimum egress path requirements to the public way.
YES NO N/A	Primary access to JADU meets Code requirements for stairs, handrails, landings, headroom, door width, etc.
JADUs do not require separd sound transmission is also n	ate electrical or gas meters, or fire separation between primary dwelling and JADU. Minimum STC-45 ot required for JADUs.
I have reviewed the above	checklist and certify that the project conforms to all applicable criteria from Step 2.
Applicant's Signature	
Reviewer's Signature	
neviewei s signature	Date